

MATERIAL SAFETY DATA SHEET

Complies With OSHA'S Hazard Communications Standard 29 CFR 1910.1200
IDENTITY(As Used on Label and List): ALOE-SOUND ICY-EEZ

SECTION I

Manufacturer's Name: Rich-Mar Corp. Emergency Telephone Number:
1-800-762-4665

Address: P.O. Box 879 Telephone Number for Information:
Inola, OK 74036-0879 1-800-762-4665

Date Prepared: 6-5-92 Preparer:
Chemical Analysis, Inc.
Irving, Texas

SECTION II Hazardous Ingredients/Identity Information

Hazardous Components	OSHA PEL	ACGIH TLV	Other Limits (IDLH)	%
Isopropyl Alcohol	400 ppm	400 ppm	20,000 ppm	10.0
SDA Alcohol	400 ppm			37.2

SECTION III Physical/Chemical Characteristics

Boiling Point (C): 80 Specific Gravity (H2O=1):0.997
Vapor Pressure (mm Hg): 33 Melting Point (C): 3
Vapor Density (Air = 1): 2.10 Evaporation Rate (Butyl Acetate = 1): 3.79
Solubility in Water (25 degrees C): 60.2% wt. soluble; balance is miscible
Appearance and Odor: Dark Sky Blue Solution with Camphor and Menthol odor.

SECTION IV Fire and Explosion Hazard Data

Flash Point (C): 11.7(TOC) Flammable Limits LEL: 2% UEL: 12%
Extinguishing Media: "Alcohol" foam, dry chemical, carbon dioxide.
Special Fire Fighting Procedures: None
Unusual Fire and Explosion Hazards: Explosive air mixtures can occur.

SECTION V Reactivity Data

Stability Unstable: No Conditions to Avoid: Strong Oxidizers
Stable: Yes

Incompatibility (Materials to Avoid):Strong Oxidizers, oleum, phosgene, potassium tertiary butoxide

Hazardous Decomposition or Byproducts: Carbon Monoxide, carbon dioxide, ammonia, flammable gases.

Hazardous May Occur: No Conditions to Avoid: None
Polymerization Will Not Occur: Yes

ICY-EEZ

SECTION VI Health Hazard Data

Route(s) of Entry Inhalation: yes Skin: Yes Ingestion: Yes Eyes: Yes

Health Hazards (Acute and Chronic); Acute high concentration inhalation exposure can cause narcosis, headaches, vertigo, drowsiness, nausea, nose and throat irritation. Skin and Eye contact can cause irritation. Ingestion of 250 ml can be fatal.

Carcinogenicity: NTP:N/A IARC Monographs:N/A OSHA Regulated:N/A

Signs and Symptoms of Exposure: Irritation of eyes, nose, and throat. Skin dermatitis. See health hazards above.

Medical Conditions Generally Aggravated by Exposure: None at recommended dosages

Emergency and First Aid Procedures:

-Inhalation: Remove to fresh air and administer Oxygen.

-Skin and Eyes: Wash exposed area with copious quantities of water. Skin can be washed with mild soap and water.

-Ingestion: Harmful if swallowed. Seek a physician & get immediate medical attention.

SECTION VII Precautions for Safe Handling

Steps to be Taken in Case Material is Released or Spilled: Normal liquid spill clean-up. Place in proper waste container. Do not expose to ignition source.

Waste Disposal Method: Dispose according to approved disposal ordinances.

Precautions to be Taken in Handling and Storing: Store in cool, dry area that does not expose product to excessive temperatures (100 F) nor ignition sources.

Other Precautions: Use good stacking and inventory control procedures.

SECTION VIII Control Measures

Respiratory Protection (Specify Type): None unless exposed to large quantities then Scott Air Pack should be used.

Ventilation Local Exhaust: Yes Special: None
 Mechanical (General): No Other: None

Protective Gloves: Yes(spills) Eye Protection: Goggles(spills)

Other Protective Clothing or Equipment: Rubber apron(spills)